




10-32 UNF  $\nabla$  0.380;  
2 PLACES



NOTES:  
1. DIMS IN INCHES  
2. QTY SPECIFIED IN BOM  
3. DIM AND MAT'L SPECIFIED  
BY MANUFACTURER

TOLERANCE UNLESS NOTED				TITLE:		
MEASURING INSTRUMENT	PLACES IN DIMENSION			5840 RPM Mini CIM Motor		
	0.0	0.00	0.000	DRAWN	TYLER RYE	
CALIPERS	/	/	±0.005	DESIGNED	VEXPRO	
PRECISION RULER	/	±0.015	/	SIZE	DWG. NO.	REV
TAPE MEASURE	±0.030	/	/	<b>A</b>	EML2322L-OTS43	<b>A</b>
PROTRACTOR	±10	±5	±2	SCALE: 1:2		SHEET 1 OF 2



NOTES:  
 1. DIMS IN INCHES  
 2. QTY SPECIFIED IN BOM  
 3. DIM AND MAT'L SPECIFIED BY MANUFACTURER

TOLERANCE UNLESS NOTED				TITLE:  5840 RPM Mini CIM Motor			
MEASURING INSTRUMENT	PLACES IN DIMENSION						
	0.0	0.00	0.000	DRAWN TYLER RYE			
CALIPERS			±0.005	DESIGNED VEXPRO			
PRECISION RULER		±0.015		SIZE	DWG. NO.		REV
TAPE MEASURE	±0.030			A	EML2322L-OTS43		A
PROTRACTOR	±10	±5	±2	SCALE: 1:2		SHEET 2 OF 2	